

ПЕРСИ ООД

Адрес: София, бул "Цар Борис III" 136Б, п.к. 1618
 телефони: 02 9555013, 02 9555496, 02 8566912 факс: 02 9555497
 email: sales@persy.com, info@persy.com, eugene@persy.com, martin@persy.com, sales@persy.com
 web: www.persy.com



Supermicro Blade Server - цените са без 20% ДДС

модел	описание	гаранция	цена
Блейд системите могат да бъдат комплектовани с необходимото количество подходяща памет. Поради динамично променящите се цени на паметта те трябва да бъдат уточнени в момента на оферирането или поръчката.			
SuperBlade® Enclosure			
CSE-RACK14U	CSE-RACK14U - 14U Server Rack Сървърен шкаф , подходящ за инсталиране на сървъри- Перфорирана предна врата с ключалка, странични панели, Колелца за лесно придвижване Настройващи се крака за допълнителна стабилност, подходящ за помещения с малко пространство за ИТ техника. Монтаж на 2 блейд сървъра (2 x 7U)	-	\$ 970
SBE-720E-D50	SuperBlade™ Enclosure, up to 10 Twin processor blades , 2x Gigbit switches (optional), up to 16 cooling fans 2x hot-swap 2500W power supplies, 1+1 redundant, 2x hot-plug 4x QDR IB switch (optional) 2x management modules - remote KVM and IPMI 2.0. One management module comes standard with each enclosure	24 месеца	\$ 3487
SBE-720E-R75	SuperBlade™ Enclosure, up to 10 Twin processor blades , 2x Gigbit switches (optional), up to 16 cooling fans 4x hot-swap 2500W power supplies, 1+1 redundant, 2x hot-plug 4x QDR IB switch (optional) 2x management modules - remote KVM and IPMI 2.0. One management module comes standard with each enclosure	24 месеца	\$ 4403
SBE-710Q-D32	SuperBlade™ Enclosure, up to 10 hot-plug processor blades , 2x Gigbit switches (optional), up to 16 cooling fans 2x hot-swap 1620W power supplies, 1+1 redundant, 2x hot-plug 4x QDR IB switch (optional) 2x management modules - remote KVM and IPMI 2.0. One management module comes standard with each enclosure	24 месеца	\$ 3401
SBE-710Q-D50	SuperBlade™ Enclosure, up to 10 hot-plug processor blades , 2x Gigbit switches (optional), up to 16 cooling fans 2x hot-swap 2500W power supplies, 1+1 redundant, 2x hot-plug 4x QDR IB switch (optional) 2x management modules - remote KVM and IPMI 2.0. One management module comes standard with each enclosure	24 месеца	\$ 3574
SBE-710Q-R48	SuperBlade™ Enclosure, up to 10 hot-plug processor blades , 2x Gigbit switches (optional), up to 16 cooling fans 4x hot-swap 1620W power supplies, 1+1 redundant, 2x hot-plug 4x QDR IB switch (optional) 2x management modules - remote KVM and IPMI 2.0. One management module comes standard with each enclosure	24 месеца	\$ 4207
SBE-710Q-R75	SuperBlade™ Enclosure, up to 10 hot-plug processor blades , 2x Gigbit switches (optional), up to 16 cooling fans 4x hot-swap 2500W power supplies, 1+1 redundant, 2x hot-plug 4x QDR IB switch (optional) 2x management modules - remote KVM and IPMI 2.0. One management module comes standard with each enclosure	24 месеца	\$ 4487
SBE-710E-D32	SuperBlade™ Enclosure, up to 10 hot-plug processor blades , 2x Gigbit switches (optional), up to 16 cooling fans 2x hot-swap 1620W power supplies, 1+1 redundant, 2x hot-plug 4x DDR IB switch (optional) 2x management modules - remote KVM and IPMI 2.0. One management module comes standard with each enclosure	24 месеца	\$ 2769
SBE-710E-D40	SuperBlade™ Enclosure, up to 10 hot-plug processor blades , 2x Gigbit switches (optional), up to 16 cooling fans 2x hot-swap 2000W power supplies, 1+1 redundant, 2x hot-plug 4x DDR IB switch (optional) 2x management modules - remote KVM and IPMI 2.0. One management module comes standard with each enclosure	24 месеца	\$ 3059
SBE-710E-R48	SuperBlade™ Enclosure, up to 10 hot-plug processor blades , 2x Gigbit switches (optional), up to 16 cooling fans 4x hot-swap 1620W power supplies, 3+1 redundant, 2x hot-plug 4x DDR IB switch (optional) 2x management modules - remote KVM and IPMI 2.0. One management module comes standard with each enclosure	24 месеца	\$ 3469
SBE-710E-R60	SuperBlade™ Enclosure, up to 10 hot-plug processor blades , 2x Gigbit switches (optional), up to 16 cooling fans 4x hot-swap 2000W power supplies, 3+1 redundant, 2x hot-plug 4x DDR IB switch (optional) 2x management modules - remote KVM and IPMI 2.0. One management module comes standard with each enclosure	24 месеца	\$ 4048

SBE-714D-D32	SuperBlade™ Enclosure, up to 14 hot-plug processor blades , 2x Gigbit switches (optional), up to 16 cooling fans 2x hot-swap 1620W power supplies, 1+1 redundant 2x management modules - remote KVM and IPMI 2.0. One management module comes standard with each enclosure	24 месеца	\$ 2485
SBE-714D-R48	SuperBlade™ Enclosure, up to 14 hot-plug processor blades , 2x Gigbit switches (optional), up to 16 cooling fans 4x hot-swap 1620W power supplies, 1+1 redundant 2x management modules - remote KVM and IPMI 2.0. One management module comes standard with each enclosure	24 месеца	\$ 3176
SBE-714E-D32	SuperBlade™ Enclosure, up to 14 hot-plug processor blades , 2x Gigbit switches (optional), up to 16 cooling fans 2x hot-swap 1620W power supplies, 1+1 redundant, 1x hot-plug 4x DDR IB switch (optional) 2x management modules - remote KVM and IPMI 2.0. One management module comes standard with each enclosure	24 месеца	\$ 2989
SBE-714E-R48	SuperBlade™ Enclosure, up to 14 hot-plug processor blades , 2x Gigbit switches (optional), up to 16 cooling fans 4x hot-swap 1620W power supplies, 3+1 redundant, 1x hot-plug 4x DDR IB switch (optional) 2x management modules - remote KVM and IPMI 2.0. One management module comes standard with each enclosure	24 месеца	\$ 3672
SuperBlade™ Processor Blade for 20 port Twin Enclosure			
SBI-7226T-T2	NEW, 2 servers in one blade. Each server - 2x Intel® Xeon 5600 series, max 64GB VLP DDR3 REG.ECC 2x 1GB LAN, 2x 3.5" SATA hot-swap Drives, 20/40Gb IB and 10Gb Ethernet (optional)	24 месеца	\$ 1231
SBA-7222G-T2	NEW, 2 servers in one blade. Each server - 2x AMD Opteron 6100 series, max 128GB DDR3 REG.ECC, 2x 1GB LAN, 2x 2.5" SATA hot-swap Drives, 40Gb IB and 10Gb Ethernet (optional)	24 месеца	\$ 1231
SuperBlade™ Processor Blade for 10 port Enclosure			
SBI-7126TG	NEW 2x Intel® Xeon 5600 series, max 96GB DDR3 REG.ECC, KVM over LAN , 2x1GB LAN, 1x SATA Disk on Module, Up to TWO Tesla M2070Q/ M2070 / M2050 GPUs	24 месеца	\$ 909
SBI-7126T-SH	2x Intel® Xeon 5600 series, max 192GB DDR3 REG.ECC, 2x 1GB LAN 2x 3.5" SATA hot-swap Drives, Integrated Matrox G200eW Graphics, 1 PCI-E 2.0 x16, LSI 2008 SAS2 Controller	24 месеца	\$ 897
SBI-7126T-T1L	2x Intel® Xeon 5600 series, max 48GB VLP DDR3 REG.ECC, 2x 1GB LAN 2x 3.5" SATA hot-swap Drives, Integrated Matrox G200eW Graphics	24 месеца	\$ 594
SBI-7126T-T1E	2x Intel® Xeon 5600 series, max 48GB VLP DDR3 REG.ECC, 2x 1GB LAN, Integrated Matrox G200eW Graphics 2x 3.5" SATA hot-swap Drives Mellanox Infiniband 40/20Gbps or 10GbE support (Optional)	24 месеца	\$ 681
SBI-7126T-S6	2x Intel® Xeon 5600 series, max 96GB VLP DDR3 REG.ECC, KVM over LAN , 2x 1GB LAN 6x 2.5" SATA/SAS hot-swap Drive, LSI RAID 0, 1,10 RAID 5 (optional), 20/40Gb IB and 10Gb Ethernet (optional)	24 месеца	\$ 909
SBA-7142G-T4	4x AMD Opteron 6100 series, max 256GB DDR3 REG.ECC, KVM over LAN, 2x 1GB LAN, 4x 2.5" SATA hot-swap Drives, Mellanox Infiniband 40Gbps or 10GbE Support (Optional)	24 месеца	\$ 1109
SuperBlade™ Processor Blade for 14 port Enclosure			
SBI-7426T-SH	2x Intel® Xeon 5600 series, max 192GB DDR3 REG.ECC, 2x 1GB LAN 1x 3.5" SATA hot-swap Drives, Integrated Matrox G200eW Graphics, 1 PCI-E 2.0 x16, LSI 2008 SAS2 Controller	24 месеца	\$ 863
SBI-7426T-S3	2x Intel® Xeon 5600 series, max 96GB VLP DDR3 REG.ECC, KVM over LAN , 2x 1GB LAN 3x 2.5" SATA/SAS hot-swap Drive, LSI RAID 0, 1,10 RAID 5 (optional), 20/40Gb IB and 10Gb Ethernet (optional)	24 месеца	\$ 870
SBI-7426T-T3	2x Intel® Xeon 5600 series, max 96GB VLP DDR3 REG.ECC, KVM over LAN , 2x 1GB LAN 3x 2.5" SATA hot-swap Drive, RAID 0, 1, 20/40Gb IB and 10Gb Ethernet (optional)	24 месеца	\$ 784
Power Supply			
PWS-2K53-BR	2500W power supply module , hot-swappable in operation Intelligent Power Infrastructure - Power enclosure includes a management module that monitors the power supplies	24 месеца	\$ 496
PWS-2K01-BR	2000W power supply module , hot-swappable in operation Intelligent Power Infrastructure - Power enclosure includes a management module that monitors the power supplies	24 месеца	\$ 523
PWS-1K62-BR	1620W power supply module , hot-swappable in operation Intelligent Power Infrastructure - Power enclosure includes a management module that monitors the power supplies	24 месеца	\$ 387

PWS-1K41-BR	1400W power supply module , hot-swappable in operation Intelligent Power Infrastructure - Power enclosure includes a management module that monitors the power supplies	24 месеца	\$ 387
Modules, Accessories, Heatsinks			
AOC-IBH-002	Infiniband adapter (Mellanox InfiniHost III Ex DDR) Single 4x DDR 20Gbps port, Chipset Mellanox InfiniHost III Ex DDR, 10.4W typical/ 11W max	24 месеца	\$ 314
AOC-IBH-003	Infiniband adapter (Mellanox ConnectX) Dual 4x DDR 20Gbps port, Chipset Mellanox ConnectX, 10.4W typical/ 11W max	24 месеца	\$ 666
AOC-IBH-XDS	Infiniband adapter (Mellanox ConnectX), One 4x DDR 20-Gbps ports or One 10-Gbps ports Dual 4x DDR 20Gbps port, Chipset Mellanox ConnectX, 10.4W typical/ 11W max	24 месеца	\$ 501
AOC-IBH-XDD	Infiniband adapter (Mellanox ConnectX), One or two 4x DDR 20-Gbps ports, One or two 10-Gbps ports Dual 4x DDR 20Gbps port, Chipset Mellanox ConnectX, 10.4W typical/ 11W max	24 месеца	\$ 666
AOC-IBH-XQS	Infiniband adapter (Mellanox ConnectX), Single 40Gb/s InfiniBand port or 10Gb/s Ethernet port Single 4x DDR 40Gbps port, Chipset Mellanox ConnectX	24 месеца	\$ 612
AOC-IBH-XQD	Infiniband Adapter, Mellanox ConnectX IB QDR Chip, Dual 40Gb/s InfiniBand port or Dual 10Gb/s Ethernet ports SuperBlade Mezzanine Card	24 месеца	\$ 723
AOC-XEH-IN2	10gbit Adapter , Controller: Intel® 82599, Two ports, 10Gb/s per port Interoperable with 10-Gigabit Ethernet networks through SuperBlade 10-Gigabit Ethernet Switch (SBM-XEM-X10SM)	24 месеца	\$ 258
SBM-IBS-001	Infiniband Switch, Mellanox InfiniScale III, Latency 160ns port-to-port switch latency Internal Ports Ten 4x DDR internal copper ports (capable of 14), External Uplink Ports Ten 4x DDR external copper ports	24 месеца	\$ 4701
SBM-IBS-Q3616M	Infiniband Switch, Mellanox InfiniScale IV, Internal Ports 20, Integrated KVM over LAN - installation of a BMB-CMM-002 External Uplink Ports - 16, 4x QDR (40-Gbps) non-blocking architecture 2.88Tbps total switch bandwidth (36-Port)	24 месеца	\$ 6625
SBM-IBS-Q3616	Infiniband Switch, Mellanox InfiniScale IV, Internal Ports 20 External Uplink Ports - 16, 4x QDR (40-Gbps) non-blocking architecture 2.88Tbps total switch bandwidth (36-Port)	24 месеца	\$ 6625
SBM-IBS-Q3618	Infiniband Switch, Mellanox InfiniScale IV, Internal Ports 18 External Uplink Ports - 18, 4x QDR (40-Gbps) non-blocking architecture 2.88Tbps total switch bandwidth (36-Port)	24 месеца	\$ 9669
SBM-IBP-D14	IB Pass-Through module, Internal Ports - Fourteen internal 4x DDR ports (20Gbps) External Uplink Ports Fourteen external 4x DDR copper ports (20Gbps - CX-4 connectors)	24 месеца	\$ 1107
SBM-GEM-001	Gigabit Ethernet Layer 2 Switch, Broadcom BCM5345M, Trunking Link aggregation support Ten 1-Gbps downlink ports for LAN interfaces of the server blades (capable of 14 internal ports)	24 месеца	\$ 554
SBM-GEM-002	Gigabit Ethernet Pass-Thru Module, Broadcom 5464, Browser-based management Ten 1-Gbps downlink ports for LAN interfaces of server blades (capable of 14 internal ports)	24 месеца	\$ 336
SBM-GEM-X2C+	1/10 Gigabit Ethernet Switch, Chipset Broadcom BCM56313 Internal Ports Fourteen 1-Gbps downlink ports External Uplink Ports Three 10-Gbps uplink ports, Layer-2 / 3, Bandwidth 46-Gbps	24 месеца	\$ 1955
SBM-GEP-T20	Ethernet pass-through module, Twenty 1-Gbps downlink ports for LAN interfaces of the server blades Twenty 1-Gbps uplink RJ-45 ports fixed at 1-Gbp (no auto-negotiation)	24 месеца	\$ 595
SBM-XEM-X10SM	10-Gigabit Ethernet Layer2/3 Switch Module, Ten (TenBlade) or 20 (TwinBlade) int 10-Gigabit connections to Blades Four external (TwinBlade) or Ten (Ten-Blade) 10-Gigabit Ethernet ports, External 1GE (RJ45) Management port	24 месеца	\$ 8354
SBM-XEM-002M	10-Gigabit Ethernet Pass-Thru Module, Fourteen 10-Gbps downlink XAUI ports, Fourteen 10-Gbps uplink SFP+ ports Connections 10GBASE-SR, 10GBASE-LRM, 10GBASE-ER, 10GBASE-LR, Twinax	24 месеца	\$ 1426
SBM-CMM-001	Chassis Management Module, VGA Port, 2x USB Ports Remote Management Processor 1x LAN port, KVM over LAN / KVM over IP, Hardware Health Monitor, Virtual Media Over LAN	24 месеца	\$ 535

* Всички цени са в USD и са без начислено ДДС 20%

* ПЕРСИ си запазва правото на промени в ценовите листи без предупреждение.